

Dr. 4744 mift - 4756 Hy 48 49

507		11-1023
\rangle		. 1
(No. Dr. 4744 1		A
Tanner Machin	e. Re	ed. Tarrees
Turns & A Cor.+ ?		Depth & 6 futh.
Shot or lead 26-#		
Bottom Fine A an	rd.	
Bottom temperature -		
No. of thermometer —		Cor.
Corrected temperature		
Air 64 Surfa	00 2-9	Drift
Trawl or dredge 6' A	1 /	rediate from
udga hoper weig	Atog	Pat smill 42
SOUNDING WIRE.	chied	DREDGE ROPE.
DOWN. P. UP.	TURNS.	DOWN. 73 W UP.
- ENV		()
- 32-501-35-15	54	1-42-102-10/13
- 33-30 1-34-30	100-	1-48-002-8-10
	200	741
	300	Wet stopped
	400	for 2 min on
	500	luciy down:
	600	Ollire Prose
	700	on rul.
	800	
	900	
	1000	
	1100	
	1200	Well-
7	1300	
	1400	
	1500	
	1600	
	1700	
	1800	
100	1900	1 1 1 1
	2000	
	2100	
	2200	
	2300	3)
	2400	1 7/
	2400	

Aredge CONTSE N.W. by N. SOUNDING WIRE. DREDGE ROPE. TURNS. DOWN. DOWN. Clear 2500 Lungoth Lea 2600 Light Bruge Wa 2700 29,83 2800 Theratt you 2900 3000 3100 3200 3300 3400 3500 3600 3700 3800 3900 4000

SERIAL TEMPERATURES

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25			- /4	
50			1111	
100				
200				
800				
400				
500				
600				
700				
800				
900				ATTENDED TO
1000		N. S.		

REMARKS:

11-1023

Egg Deland light bearing 1 and 1 hards

at from so to 45 father

6. Dr. 4745 Date 28 fun Tanner Machine. Reef Turns 30 Cor.+ Shot or lead 25 1

Cor.

Bottom Jy. S

Bottom temperature

No. of thermometer

Corrected temperature

Air. So Surface S 20 Drift

Trawl or dredge Inter , so before

SOUNDI	NG WIRE.		DREDG	E ROPE.
Ow DOWN.	UP.	TURNS.	A-pown.	UP.
6.15	6.18	0 2.0 100 200	6.20.	6.40.00
		300	- 183	14 min
	1/4, 200	400	-	
		500		
		600	- 0-	
Dr. Coms Orneast	c NWY	V/100.		
Orncest	x misty	800		
mounte	broge 5.5.	900		
Care Show Bear	Application of the control of the co	1000	1	
Ban. 30	. 2	1100		
Thom. of	. 28	1200		
		1800		
	_ 000-	1400		
0.1		1500		
-0'		1600		, , , , , , , , , , , , , , , , , , ,
		1700	-	-
,		1800		-0 /
N 4-1		1900		1 - 11
1	1-1-1	2000		
		2100		
		2200		
		2800		
		2400		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
0		2500		5 107
Con	live =	2600		
		2700		,
Saxbre	32 PE.,	2800	nedy ld,	Avre
11 -		2900		11
N.80	E. (7	24000	dist. 11	8 miles
01		3100		Marin.
(Know)	13200	comac 1	VW/2 W
		8800	,	
_ 2	Ofms. v	V 3400	out.	
Vous	103/4	3500		
Voven	1874	3600		
		3700		V- 1
		3800		
		3900		
		4000		Marie Control

DEPTH.	TEMP.	NO. OF THER.	COR.	COR: TEMP.
25				
50				
100				
200	200			
800				1.1
400	* 1			
500				
600				
700				
800				
900				
1000			17	

REMARKS:

4746

Date 28 frice 05

Turns

Cor.+

Machine. Rect.

Shot or lead

Depth

Bottom

Bottom temperature No. of thermometer

Corrected temperature

5 . unding

Air 60° Surface 56 Drift

Trawl or dredge Intermed as before

SOUNDING WIRE.		DREDGE	ROPE.
DOWN. UP.	TURNS.	DOWN.	UP.
2-11-22	0	2-30-00	3-05-0
	100	34-30	3-00-00
4100	150		2 - 57 - 00
	800		17
	400	Towing	20 min
De.C NWXW.	500	2	
	600	150 fms. W	irebert.
Overcast 4 cloudy	700		
Es. airs to le There.	800		
from SE.	900		
	1000	W	
Barometer 30.08"	1100		
Barometer 30.08" Therm. att. 60°	1200		
	1800		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200	40	
	2800		
	2400		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN,	UP.	TURNS.	DOWN.	UP.
		2500	V.	
2		2600	the second	
1		2700	Sen 12	
Postt	011:	2800	W	
Lights	Varie in	2900	John J. B	wi Mania
Channel	bearing N.	8° 7/8100 1	Island &	4 miles se
2 2 V	197 fine	8200		
1		8800		
		3400		
		3500		
VIII		8600		
		8700		
		3800		
/		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25 50				
100				
200 800				
400 500				
600 700				
800				
900 1000		14		

TI-1023 REMARKS;

No. Dr 4747 Date 30 June 1905-Machine. Reel.

Turns Cor.+

Shot or lead

Bottom

Bottom temperature

No. of thermometer (Corrected temperature

Air 67 Surface 5-9. Dri

Trawl or dreage Intermediate as before

SOUNDING WIRE.			DREDGE ROPE.		
DOWN,	UP.	TURNS.	DOWN. PM UP.		
		0	1-45-10 2-31-00		
1		100	49-40 27-00		
		200	53-50 22-25		
		300	1-57- 45 2-14-55		
		400	200 faths wire		
M		500	Pout toringat		
		2 600	a depth of		
		700	probable 275 fath		
		800	0 0		
		900			
		1000			
		1100			
		1200			
		1300			
		1400			
		1500			
		1600			
		1700			
		1800			
		1900			
		2000			
		2100			
		2200			
		2300			
		2400			

SOUNDING WIRE.			DREDGE ROPE.		
DOWN.	UP.	TURNS.	DOWN.	UP.	
Hona	ly	2500	-Fosiz		
airs	S.E	2600	Off hie	to Ba	
Bari.	. 30	2700	Behrn C	male	
her at	4. 64	2800	Bushy	Point	
		2900	bearing	5. 830	
laine C	OURSE - N-N	W. 3000	magne	tic.	
Depth	300 futto	3100	tant 1.	mil	
	8	3200			
		3300			
+		3400	1		
		3500			
		3600			
		3700			
V		3800	1416		
		3900			
		4000		M	

DEPTH.	TEMP.	NO. OF THER.	COR.	COR; TEMP.
25				
50				William B
100				1000
200		11 1	-11	
800		1		
400				
500		Mary Mary		
600				
700				
800			1	
900		- 1	1	
1000			1	

REMARKS:

Date Color ?

Denth

— Machine. — Reel.

Turns Cor.+

Shot or lead

Bottom did not soward -

tomporature See chart.

Travel or dredge . Mis. 13. 13. 17.

Bottom temperature See chart.

No. of thermometer

Corrected temperature

Air 53° Surface 56° Drift

SOUNDING WIRE DREDGE ROPE. TURNS. DOWN. UP. amDOWN. Towing not at 10.16.30 11.02.40 21.15 58.20 approx, 200 fms 100 depth (". "... 200 25.30 SSE., mr. 1); 300 fma. 10.29.05 10.49.10 300 rovoc cut. 400 500 600 700 80000 9005 1000 1100 Net carne no will a big load of The 1200 X # 20 Ripped opins lover King of liters + 11 1500 1600 dites lines po 1700 dingram. Sie 1800 1900 1 320. Considerately 2000 2100 fraged on ming indicating that it dragged sometime 2200 2300 T+O. clian - did not

2400

Vorich bollow

must from net,

* probably done in sunfiligion,

SOUNDIN	IG WIRE.		DREDGE	ROPE.
DOWN.	DOWN. UP, TURNS.		DOWN,	UP.
Weather.	consider	2500	, Mary	`` !
12 11219		2600	Bushy P.	Beite Clan
4.5,	1. c. 1. 1. 1. 1.	. 2700	Zast mae.	
J	St. 19/1	2800	De china	55 E - 200
- Raring	o. att. 60°	2900	Chart used:	
5771002	K son.	3000	USCHGSA	8106.7
Tiac	Million	3100		
12.00		3200		
Densities.		3300		
- free.	19.8	3100		
5 - 11 2	21.6 1 1	8500		-
0 "1 2	12/	3600	innelis	
3- ,, 2	2.2	8700	mondes	
84 11 2	14,4	3800		
		3000		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP,
· 5 - 25	· C. T	10/1: 1 ×	.13	(55,2)
15-50-	, T. c	1,16,1 ×.	.11	(5-41.8)
~100r	51.0	13: 0:11	3	50.7
0000	48.0	108156	14	
800-	1	1.71.7.	2	47.6
500]	A Sin	Bac Water	Cup a	rtlached with
600	each to	l'irmone ite	. /	
700				
800	x 08.	way in the	= 11	pli 1
900			drie	at 2 turns
1000			- 11	pleasable property and an analysis and an anal

REMARKS:

Commenced to lover at 11.09 am.

No. D. 47'19 Date ().

Machine. Reel.

Turns

Cor.+

Shot or lead

Bottom did not sound a few chart.

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air 57° Surface 58° Drift

Trawl or dredge Interm. 1K. & - 1K, 20 ol.

SOUNDING WIRE.			DREDGE ROPE.		
DOWN.	UP.	TURNS.	DOWN.	UP.	
				7.	
		0		/ !	
-		100	C 3-	200	
		200	4.	1	
		300		,	
		400	·	1-1/2	
		500	4	fin wires	
		600			
		700			
		800			
		900			
		1000			
		1100			
		1200			
		1300			
		1400			
		1500			
		1600			
		1700			
		1800			
		1900			
		2000			
		2100			
		2200			
		2300			
1		2400	1	1	

SOUN	NDING WIRE.		DREDGE	ROPE.
DOWN,	UP.	TURNS,	DOWN.	UP.
1'		2500		Kinds Nels
		2600	***;	36.8
, .		2700	,	0,000
		2800	2.11 6.	1.
·		2900		use Sixin
	4	3000		
		3100	5 February	Ν,
		8200		
Dencie	tio.	3300		
Surf.	/2.3	3100		
Fin.	15.2	3500		
6 "	17.9	3600		
25	23.1 ?	3700		
7	22.6 ?	3800		
00 "	22.6 ?	3900		
25-	24.0	- 4000		

27127 1111	A PARLE .	NO. OF THEM.	COIL	COIL IIIIII.
. 95-		108156		
10 50	57.°0	104924	7	36.8
25 100	57.8°	109 635		5.7.8
50 200	51.6°	108155		57.8
100 300	43.0°	10 .15=	.'-	426
125 400	42.5	1104914	3	42,1
500		, , ,		
600	Wali	v cerp with	each	
700				
800	Ohome	at 5 fundi.	ine!	5276
900		for before ?		
1000		,	/	
11-1023		REMARK	g.	

Lowered of 1-34-00 125 fm. anchekof + 45-30 Communicate have up 1-48-30

No. D 4750 Date

Machine. Reel.

Depth

Turns Cor.+

Shot or lead

Bottom Did not sound; see chart. Bottom temperature

No. of thermometer Cor.

Corrected temperature

Air 5-9 Surface 5-7° Drift

SOUNDING WIRE.			DREDGE ROPE.		
DOWN.	UP.	TURNS.	DOWN.	UP.	
		0			
		100		12.77	
		200			
		300	11		
		400			
		500			
		600			
		700			
		800			
		900			
		1000			
		1100			
		1200			
		1300			
		1400			
		1500			
		1600			
		1700			
		1800			
		1900			
		2000			
		2100			
		2200			
		2300			
1		2100			

SOUI	NDING WIRE.		DREDGE ROPE.			
DOWN	UP.	TURNS.	DOWN,	UP.		
J. Bur Ther at	30.0	2500				
		2600				
1 Char	BEVALLERC	2700		;		
Light.	BUSINERS	2800	1			
		2900				
		8000				
1		3100				
Deusie	tio	3200	* * * * *			
Durf.	21.0	3300				
13 fm.	20.1	3400				
10 "	20.4	3500				
25-11	21.0	8600	O.S			
50.,	23.6	8700				
100,	24.3	3800				
175"	24.7	3900				
	/	4000				

DEPTH.	TEMP.	NO. OF THER.	cor.	COR. TEMP.
25			3	5.3.7-
. 50	525	104924	2	52,3
100	3-4.9	109635	/	.5-4. 8
200-		104914	4	43.5
-800-	1	108155	4	421
-100	41.9	138154	4	41.5
500				
600				
700	X. Cacle	ed met a	-110.	2 (1
800	/			
900	; 40	. 1 .	111.	
1000			1	

REMARKS:

" fathereacun at 4-50-10

No. D. 4-51. Date 30 am. 1985.

Machine. Rect.

Depth

Turns Cor.+

Shot or lead

Bottom Dil not sound, see chart

Bottom temperature CS. 8/0-

No. of thermometer Cor.

Corrected temperature

Air 63° Surface 58° Drift

Travel or dredge . 27 . 13420 . 1 422, now.

SOUNDING WIRE.			amDREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP.
ed 20 :	min at an	0	1'05.10	11.615
x. desta	0 f 175 fes.	100	04.5-	
	. mire out.	200	11 20	21
		-800	1. 16.7	11.30.
		400	: 2	. 5
		500		
		600		
		700		
		800	Waln whige	elf-dhe
		900	C .	. 6
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2100		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
715	ur ja	2500	23.00 . to	2 (
Vonen. c.	i dive	2600	Spring Son	
784.14.5	ana ritor	2700	Jamesu-1	- T. Soil
341, 30.		2800	5 2:91 : pue	1. 1 1. 17)
Totalde	4.670	2900	Lin Com	- 1717,500
Smit	Sen.	3000	C.S. Chasi.	,
		8100		
Dursili,		3200		
Junf 12 11	18.5-	3300		
10 /100	20.6	8400		
	30.8	3500		
30 fin	22,3	8600		
5.1 Jun	24.5	3700		
10 5 fm	242	3800		
180 fm.	34.1	3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP.
- 25	5-10	100.1.	3	33.8
/0 -50	500	109635.	1	49.9
25 100	45.90	104924.	3	45-6
50 200	46.50	108155.	3-	46.0
100 800	43.40	108154	5-	429
/X ~400-	620	108156.	4	1126
500			, i	
600	7:1.5.	Cres with	nch ti	comometer.
700				Leaving in the
800				and drawn
900		19. 17. 15. 1.		
1000				. 0 /.

11-1023

REMARKS:

Lorvered at 11:46 am.

175 pms. downat 11:53.
Began heave in 12:00 ; }= 7 ini.
243 at 12:08:30 pm.

507 . H. No. D 4752 Date 300k

Machine. Reel.

Turns Cor.+ Shot or lead

Bottom temperature

Bottom No. of thermometer

Depth

Corrected temperature

Air

69° Surface 56° Drift

Travel or diedge

SOUND	ING WIRE.		DREDGI	E ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP.
1		0	7,	
W		100) .	٠.
	/ -	/=:0 200	:1 .	2 11
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2100		

SOUND	ING WIRE.		DREDGE	ROPE.	
DOWN.	UP.	TURNS.	DOWN,	UP.	
1.		2500	11		
		2600	۵.		
		2700	Ph. Wares	a bearing	
	-7:	2800		_	
/ _ =	1.:	2900			
	-	3000			
		3100			
Ocusaly:		3200			
Surf.	9.0	3300	1		
& fun	14.5	3400			
10 .	30.6	3500			
3.5"	21,2	3600			
30 "	21,7	3700			
100 "	.23.7	3800			
135.	34.3	3900			
	,	4000			

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP.
5 95	51.0"	10:116	.3	50.7
10-60			9	17.4
25100	. 45.00	109 635	1	44.9
50200	17.3	104925	11	43:1
100 800	11.1	108155	U	42.7
125 400.	1	108154	U	42.8
500				
600	In heaving	+ !-		v f
700	Water		**	
800				
900				
1000				
11-1023				

REMARKS:

Oregon I heave sep Up of

Date

Reel. Machine.

Turns

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air 45

Surface 58

Drift

SOUNDIN	G WIRE.		DREDG	E ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		0	1	U
		100	1 -	3
		200	1	1 4-
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300-		
		1400		
		1500		
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2100		

SOUND	ING WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP.
Par-	27.48	2500		
	5-5	2600	certain	Charact
1./	1. 15 60	₹ 2700	-	
Louds!	Live Sal	2800	Come.	
1		2900	Point	Lucu
		3000	4: ,00	E (BA
r Cnu	20 - 2.	3100		Han 2 1
		3200		-
		3300		
		3400		
		3500	Chart 8	1050.
		3600		
		3700		
		3800		
		3900		
		-1000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
. 700				
800				
900				
1000				

REMARKS:
Revise Caught on red while ying down at 170 kith.
Stopped heaving in twice to clack 1/2

Depth

Cor.

4754 Date Oct. Reel.

Machine.

Turns Cor.+

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Corrected temperature

Air 3-0° Surface 30 Drift Trawl or dredge = Inter, as before

SOUNDING	WIRE.		DREDGE	ROPE.
DOWN.	ur.	TURNS.	DOWN.	UP.
position		2500	1.211.	1 8 5 7
Dani 10 .	. /.	2600	Mr. Cal	E, C
annel"	off	2700	Kieli .	27. 7.2
Boca D.	Par la	2800	Y tusis	Ht. 63
mary 2 1	. gut	2900		
earing v	Le Bid	3000		
into Es	1. 1. 111.5	3100		
redus		3200		
Part 2,	. 5 . 75 -	3300		
Cepthi.		3400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

REMARKS:

507 . H)

No. D 4755 Date November 5:05

Depth

Machine. Reel.

Turns . Cor.+ Shot or lead

Bottom

No. of thermometer

Cor.

Corrected temperature

Air 46 Surface 49° Drift

Trawl or dredge L.

SOUNI	DING WIRE.	myron-	DREDG	E ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		1
		200		
		300	: "	٠,
		400		f:7
		500		£:7
		600	ye.)	
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	Ì.	
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2100		

h	SOUNDIN	G WIRE.		DREDGE	ROPE.
-	DOWN,	UP.	TURNS.	DOWN.	UP.
	1.		2500		
			2600	1, 5,	630
			2700		
2			2800	1.	, ,
			2900	1 -	
			3000		
\			3100		
6	Simuls.		3200		
5-4	Serials.		3300		
0.	18.6		3400	A	
25-	. 20.	2	3500		
50	" 21.5	í ~	3600		
73	" 21:	7	3700		
Su	1.4801-	-15.5.	3800		
	1		3900		
			4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
粉布	:48.			
· (i)-	, iii.		44.2	47.8
10 100	49.9"	108156	-2	49.7
200	, ,	104914	-3	49.6
50.800	49. 2 0	104924	-1	49.1
75 400	40.20	108156	- 2	49.
500	Water	cup attached		, ,
600				
700				
, 800				
900				
1000				

REMARKS:

/ /

11-1023 12.56 Date . 7 16 Machine. Reel. Cor.+DepthTurns Shot or lead Bottom / 10 Lat Rottom temperature No. of thermometer Corrected temperature Air 5-20 Surface 3-2 DriftTravel or dredge Ini 12 DREDGE ROPE. SOUNDING WIRE. TURNS. DOWN. DOWN. UP. 0 10-34-00/1-02 100 10-3-5-3010-57-50 200 300 400 500 600 700 800 900 1000 1100 1200 1300 1400 1500 1600 1700 1800 1900 2000

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN,	UP.	TURNS.	DOWN.	UP.
1 1.		2500	Post to	
1	31	2600	2	/
	27.0	2700	J'	11 /
1 1.	4	2800		
		2900	1. 1. 1.	25 11
		3000	1 11	
		3100	2 11.	1 / 1
0 . 0		3200	/ -	
Lenal	21.5	8800 ,	D. J	11:12
F	21.07	3400	Quarte.	, i
	2/.2	3500		
	21.5	3600		
	21.5	3700		
	21.7	3800		
	/	3900		
		4000		

DEPTH.	TEMP.	No. or ther.	COR.	COR. TEMP.
Syrface 25	5.2			
1 5 50	5-1.6	10813:4	-2	57. X
10-100-	51.3	104924	-/	57.2
25300	51,3	108156	- 2	51-1
.5-0, 900	8 . 5	1: 11	2	50.6
75 100	30.4	1	- 2	\$0.2
. 500	/	1.45		11 31 1
600	2'			11-10-00
. 700		Same		-11- 15-00
800	Lust to	ier, up at		11-21-10
900				
1000	- (()			4

REMARKS:

No.

Date

Machine. Reel.

Turns

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

Trawl or dredge

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	· ·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3100		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

REMARKS:

11-1023

No.

Date

17(00

Turns

Cor, +

Machine. Reel.

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

Trawl or dredge

SOUNDI	NG WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	,	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE ROPE		
DOWN.	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3300			
		3100			
		3500			
		3600			
		3700			
		3800			
		3900			
		-1000			

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
-100				
500				
600				
700				
800				
900				
1000				

11-1023

REMARKS:

No.

Date

Turns

Cor.+

Machine. Reel. Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

 $Corrected\ temperature$

Air

Surface

Drift

Trawl or dredge

SOUNDI	NG WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	,	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE ROPE	
DOWN.	UP.	TURNS.	DOWN.	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		8800		
		3400		
		8500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TICMP.	NO, OF THER.	COIt.	COR, TRAIT,
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
11 -1023		REMARI	KS:	

No.

Date

Machine. Reel.

Turns Cor.+

Yor.+

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

Trawl or dredge

SOUNDIN	G WIRE.		DREDGE	ROPE
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	IG WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		8400		
		8500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TIMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
-100				
500				
600				
700				
800				
900				
1000				

REMARKS:

Date

Machine. Reel.

Turns Cor,+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE	ROPE.
OOWN.	UP.	TURNS.	DOWN,	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3400		
		3500		
		8600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO, OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
1-1023		731375 4 737	70.	

Date

Dat

Turns Cor.+

Machine. Reel.

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE	E ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	· ·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	DOWN.	UP.	
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		8400		
		3500		
		8600		
		3700		
		3800		
		8900		
		4000		

DEPTH.	TIMP.	NO. OF THER.	COR.	COR, TEMP
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Date

Machine. Reel.

Turns Cor.+

Cor.+

Depth

 $Shot\ or\ lead$

Bottom

 $Bottom\ temperature$

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDIN	IG WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	,	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2100		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3800		
		3400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
000				
700				
800				
000				
1000				
1-1023		DEMAD	70.	

Date

Machine. Reel.

Turns

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP.
		0		
ŀ		100		
		200		
ļ		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	IG WIRE.		DREDGE	ROPE.
DOWN,	UP.	TURNS.	DOWN.	יוט
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO, OF THER.	COR.	COR, TEMP,
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

DateMachine. Reel.

Turns

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.		TURNS.	DREDGI	DREDGE ROPE.	
DOWN,	UP.	TURNS.	DOWN.	UP.	
		0			
		100			
		200			
		300			
		400			
		500			
		600			
		700			
		800			
		900			
		1000			
		1100			
ļ		1200			
		1300			
		1400			
		1500			
		1600			
		1700			
		1800			
		1900			
		2000			
		2100			
		2200			
		2300			
		2400			

SOUNDING WIRE.			DREDGE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	Ul'.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		8300		
		3400		
		8500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
11-10/3		DEMAD	7CI.	

Date

Machine. Reel.

Turns

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

 ${\mathcal No.}$ of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

	2			
SOUNDING WIRE.			DREDGE	ROPE.
DOWN,	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE	REDGE ROPE.	
DOWN.	UP.	TURNS.	DOWN,	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		8800			
		3400			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO, OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
li-ioss		DESEAD	70.	

DateMachine. Reel.

Turns

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE	ROPE.
DOWN,	UP.	TURNS.	DOWN,	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
Ì		1600	'	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2100		

SOUNDING WIRE.			DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		8100		
		3200		
		3300		
		8400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO, OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

11-1023

Date

Turns

Cor.+

Machine. Reel.

Shot or lead

Depth

Bottom

Bottom temperature No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.		TURNS.	DREDGE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE	DREDGE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		8000			
		3100			
		3200			
		3300			
		8400			
		3500			
		8600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

· Date

Turns

Cor.+

Machine. Reel. Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDIN	NG WIRE.		DREDGE	ROPE.
DOWN,	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	,	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2100		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN, UP.	UP.	TURNS.	DOWN,	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3100		
		3500		
		3600		
		3700		
		3800		
		3900		
		1000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP,
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

11-1023

Date

Turns

Cor.+

Machine. Reel.

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer Air

Corrected temperature

Surface

Cor. Drift

SOUNDI	NG WIRE.		DREDGE	E ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
İ		1600	1	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		8800		
		8400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP
25				
50			2	
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

11-103

Date

Turns

Cor.+

Machine. Reel.

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
-		1200		
		1300		
		1400		
		1500		
		1600	•	
ĺ		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE ROI	
DOWN.	UP.	TURNS.	DOWN.	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		8400		
		3500		
		8600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TIMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Date

Turns

Cor.+

 $Machine. \qquad Reel.$

Shot or lead

Depth

Bottom

 $Bottom\ temperature$ No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.		TURNS.	DREDGE ROPE.	
DOWN,	UP.	DOWN.	UP	
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	'	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE	DREDGE ROPE.	
DOWN,	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		8200			
		8800			
		3400			
		8500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Ti-Togs

Date

Turns

Cor.+

Machine. Reel.

Shot or lead

Depth

Bottom

Bottom temperature No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDIN	IG WIRE.		DREDGE	ROPE
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
ĺ		1500		
		1600	,	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.	TURNS	DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		8100		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
1023		DIEWADI	79.	

Date

Turns

Cor.+

Machine. Reel.

Shot or lead

Bottom

Bottom temperature No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	'	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	Ul
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3800		
		3100		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THUR.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Date

1)(1)

Turns

Cor.+

 $Machine. \hspace{1.5cm} Reel.$

Shot or lead

Bottom

Bottom temperature

 ${\mathcal N}o.$ of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDIN	G WIRE.	TURNS.	DREDGE ROPE	
DOWN.	7770	TURNS.	DOWN.	UP
		0		
		100		
		200		
ł		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3100		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	ткмр.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
-100				
500				
600				
700				
800				
900				
1000				

11 - 1023

Date

25(000

Turns

Cor.+

Machine. Reel.

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDI	NG WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP
	777	0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

11 -1023

Date

 $Machine. \qquad Reel.$

Cor.+

Depth

TurnsShot or lead

Bottom

 $Bottom\ temperature$ No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.		MILDIA	DREDGE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
}		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE ROPE.	
DOWN,	UP.	TURNS.	DOWN.	UP
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		8300		
		3400		
		3500		
		8600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	тюме.	NO. OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Date

1000

Turns

Cor.+

Machine. Reel.

DIOU O

007.

Depth

Shot or lead

Bottom

Bottom temperature

 ${\mathcal N}o.$ of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE ROPE	
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		8800		
		3400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TIOMP.	NO. OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Date

1)(1)

Turns

Cor.+

 $Machine. \qquad Reel.$

Shot or lead

Bottom

Bottom temperature

 ${\mathcal No.}\ of\ thermometer$

Cor.

Corrected temperature

Air

Surface

Drift

Depth

SOUNDING WIRE.		TURNS.	DREDGE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE	GE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3300			
		3100			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TIMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
-100				
500				
600				
700				
800				
900				
1000				

DateMachine. Reel.

Turns

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.		TURNS.	DREDGE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE	ROPE.	
DOWN.	UP.	TURNS.			
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3300			
		3100			
		3500			
		3600			
		3700			
		3800			
		3900			
		-1000			

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

DateMachine. Reel.

Turns

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDIN	NG WIRE.	TURNS	DREDGE	ROPE
DOWN.	UP.		DOWN,	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE	ROPE.
DOWN,	UP.	TURNS.	DOWN.	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		8400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
-100				
500				
600				
700				
800				
900				
1000				

Date

Machine. Reel.

Turns Co.

Cor.+

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDIN	G WIRE.		DREDGE ROPE	
DOWN.	UP. TURNS.	TURNS.	DOWN,	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	*	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.		mranard	DREDG	E ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3300			
		3100			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO, OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

11-1023

Date

Turns

Cor.+

Machine. Reel.

Shot or lead

Depth

Bottom

Bottom temperature No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

COTINIDAN	C WIDE	1	DDEFO	DODE
	NDING WIRE.	TURNS.	DREDGE	ROPE.
DOWN.	UP.		DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	`	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDI	NG WIRE.		DREDGE	E ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3300			
		3400			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Date

1)111

Turns

Cor, +

 $Machine. \qquad Reel.$

Shot or lead

Bottom

Bottom temperature
No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	IG WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		8100		
		3200		
		8800		
		3400		
		8500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500			1	
600				
700				
800				
900				
1000				

11-1023

Date

Turns

Cor.+

Machine. Reel. Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDIN	G WIRE.	m,,,,,,,,	DREDGE	ROPE
DOWN,	UP.	TURNS.	DOWN,	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	'	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.		TURNS	DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3100		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

SERIAL TEMPERATURES DEPTH, TEMP, NO. OF THER, COR. COR. TEMP.

202 111.	TIMBEL.	NO, OF ATLES	0020	00111 11111111
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				v 14 75 75 75 75 55 55 55 55 55 55 55 55 55
1-1023		T3 123 E A T3	7701.	

 $\mathcal{N}o.$

Date

Machine. Reel.

Turns Con

Cor.+

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDIN	G WIRE.		DREDGE	ROPE
DOWN,	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		

SOUNDIN	G WIRE.		DREDGE	GE ROPE.	
DOWN,	UP.	TURNS. DOWN.		UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		8300			
		8400			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO. OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
11=1023		REMAR	KS:	

Date

Cor.+

Machine. Reel.

Turns

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE	ROPE
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	'	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	IG WIRE.		DREDGE	DGE ROPE.	
DOWN.	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		8100			
		3200			
		3300			
		8400			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO, OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
200				
600				
700				
800				
900				
1000				

Date

Turns

Cor.+

Machine. Reel. Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDIN	SOUNDING WIRE.		DREDGE	ROPE
DOWN.	UP.	TURNS.	DOWN,	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	'	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE	ROPE.	
DOWN.	UP.	TURNS.	DOWN.		
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3300			
		8400			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

SERIAL TEMPERATURES DEPTH, TEMP, NO. OF THER. COR. COR. TEMP.

	TAULT I	2101 02 221111		
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
11-1023		DEMADI	P.Cl	

Date

TurnsCor.+

Machine. Reel.

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE	ROPE
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		

SOUNDIN	G WIRE.		DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN.	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3100		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
-100				
500				
600				
700				
800				
900				
1000				

Date

1500

Turns

Cor.+

Machine. Reel.

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE.			DREDGE	ROPE
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
ĺ		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600	·	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDIN	G WIRE.		DREDGE ROP	
DOWN,	UP.	UP. TURNS.		UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		8000		
		8100		
		3200		
		8800		
		3400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

11-102

Date

Cor.+

Machine. Reel.

Turns

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

DOWN, UP.	0 100 200	DOWN.	UP
	100		
	200		
	~00		
	300		
	400		
	500		
	600		
	700		
	800		
	900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600	· ·	
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		

SOUNDING WIRE.		TURNS. DRED	DREDGE	JE ROPE.	
DOWN.	UP.	TORNS.	DOWN,	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3800			
		3400			
		3500			
		8600			
		3700			
		3800			
		3900			
		4000			

SERIAL TEMPERATURES DEPTH TEMP NO OF THER COR COR TEMP.

DEPTH.	TEMP.	NO, OF THERE	COR.	COR. IEMI.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
11-1031		REMAR	KS.	

Date

Turns

Cor.+

Machine. Reel.

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Depth

Corrected temperature

Air

Surface

Drift

SOUNDIN	G WIRE.		DREDGE	ROPE
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
1		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500		
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.		TURNS	DREDGE ROPE.		
DOWN.	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3300			
		3400			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Date

Turns

Cor.+

Machine. Reel.

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface

Drift

SOUNDING WIRE,		TURNS.	DREDGE ROPE.		
DOWN.	UP.	TURNS.	DOWN.	UF	
		0			
		100			
		200			
ĺ		300			
		400			
		500			
		600			
		700			
		800			
		900			
		1000			
		1100			
		1200			
		1300			
		1400			
		1500			
		1600	· ·		
		1700			
		1800			
		1900			
		2000			
		2100			
		2200			
		2300			

SOUNDIN	G WIRE.		DREDGE ROPE.		
DOWN,	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000			
		3100			
		3200			
		3300			
		3100			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

SERIAL TEMPERATURES DEPTH TEMP NO OF THER COR COR TEMP.

DEPTH.	TICMP.	NO. OF THERE.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				
TI1023		REMAR	KS:	

Date

1)(()

Turns

Cor.+

Machine. Reel.

Shot or lea Bottom

Shot or lead

Bottom temperature

Depth

No. of thermometer Corrected temperature

Air

Surface

Cor. Drift

SOUNDING WIRE.			DREDGE	ROPE.
DOWN.	UP.	TURNS.	DOWN,	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600		
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.		- ANNUAL CONTRACTOR OF THE PARTY OF THE PART	DREDGE ROPE.		
OOWN.	UP.	TURNS.	DOWN.	UP.	
		2500			
		2600			
		2700			
		2800			
		2900			
		3000	•		
		8100			
		3200			
		3300			
		3400			
		3500			
		3600			
		3700			
		3800			
		3900			
		4000			

DEPTH.	TEMP.	NO, OF THER.	COR.	COR, TEMP.
25				
50				
100				
200				
300				
400				
500				
600				
700				
800				
900				
1000				

Date

Turns

Cor.+

 $Machine. \qquad Reel.$

Depth

Shot or lead

Bottom

Bottom temperature

No. of thermometer

Cor.

Corrected temperature

Air

Surface


Drift

SOUNDING WIRE.			DREDGE ROPE	
DOWN.	UP.	TURNS.	DOWN.	UP
		0		
		100		
		200		
		300		
		400		
		500		
		600		
		700		
		800		
		900		
		1000		
		1100		
		1200		
		1300		
		1400		
		1500	,	
		1600	'	
		1700		
		1800		
		1900		
		2000		
		2100		
		2200		
		2300		
		2400		

SOUNDING WIRE.			DREDGE ROPE.	
OOWN.	UP.	TURNS.	DOWN.	UP.
		2500		
		2600		
		2700		
		2800		
		2900		
		3000		
		3100		
		3200		
		3300		
		3400		
		3500		
		3600		
		3700		
		3800		
		3900		
		4000		

DEPTH.	TEMP.	NO. OF THER.	COR.	COR. TEMP.
25				
50				
100				
200				
300				
-100				
500				
600				
700				
800				
900				
1000				

14.5 / 12.0 / 13.5° / 10.0 / 13.5° / 10.0 / 13.5° / 10.0 / 13.5° / 10.0 / 13.5° / 10.0 / 13.5° Lusitus 10 " 3.3. 3.70 11 " 12 14. .460 1 p 5.50 5/0 2 ". 3 " 1/ " 5 8° 1.7 10.5- 1 Zeen 10.5- (eng 31. 725. 10 7 Blake Chunnet. 52.5 20fd. 1 1 %. 14. 2 ... 56 3 " 5.7 4 " 5. t 5-11 3-6 6 " 36. . Deft. 2. 1/1/2 | leave 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 5-5-7. 56 54 10 " 11 " 54 12 hu. 5-6 1/2 56 2 " 56 17.9 15.5) Ex 19.4 19.4 12.4 12.4 12.4 12.4 Dof 1 4 12111. 5-5 1/0 5-8 な n 3 n 38 5.8 1/ " 3-8 a original



Nov. 17 2295. 5. 2 11/6. 1.5 12/0 18 5-3 23.01. 4 a 5-3 2 2.81 Ja. 22.65 5-3 7-4 10a 5-4 22.88 12 m 5- K 2266 2-K 2/0 2 2,55 4/0 2265 5-4 6/0 5-4 2 2.65 5 4 5572 24 2252 12/0 6-3 22.17 19 20 5-4 22.65 4 a 5-K 23.0 5-3 23,25 2/0

22.45

5-X

46



Bottom

100

250

6.29.70

Jag. auch. dunig -. 19.1.